

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

1 Identification

- **Product identifier:** HB ULTRA PT B
- **Trade name:** **HeatBloc-Ultra Part B**
- **Item number(s):** HB ULTRA PT B
- **MSDS Number:** 402
- **Application of the substance / the mixture** Radiant Barrier
- **Manufacturer/Supplier:**
USA ADDRESS:

KEMPER SYSTEM AMERICA, INC.
1200 NORTH AMERICA DR,
WEST SENECA, NY 14224
PH (716) 558-2971

CANADIAN ADDRESS:

KEMPER SYSTEM CANADA
6345 NETHERHART ROAD
MISSISSAUGA, ON L5T 1B8
PH (905) 624-5463
FAX (905) 624-2840

- **Information department:**
Tel: (716) 558-2971 ext. 228
www.kempersystem.net
- **Emergency telephone number:**
ChemTrec (800) 424-9300 / 1-(703)-741-5970
Canada only: CANUTEC (Call collect) (613) 996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture:**



GHS07

Skin Irritation - Category 2 H315 Causes skin irritation.

Eye Irritation - Category 2A H319 Causes serious eye irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Signal word:** Warning

- **Hazard statements:**

Causes skin irritation.

Causes serious eye irritation.

- **Precautionary statements:**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017


Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 1)

IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.

· **NFPA ratings (scale 0 - 4):**



Health = 1
Fire = 0
Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7429-90-5	aluminium powder (stabilised)	40-70% w/w
102-71-6	2,2',2''-nitriлотriethanol	≤10% w/w
12788-93-1	Phosphoric acid, butyl ester	1-<5% w/w

- **Additional information:** Exact concentrations are being withheld as trade secrets.

4 First-aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

(Contd. on page 3)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 2)

- Do not flush with water or aqueous cleansing agents
- **Reference to other sections:**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Keep receptacle tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

102-71-6 2,2',2"-nitrilotriethanol

EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 3.1 mg/m ³ , 0.5 ppm
TLV (USA)	Long-term value: 5 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves:** Nitrile
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- | | |
|-------------------------------------|-----------------|
| · Form: | Pasty |
| · Color: | Silver-colored |
| · Odor: | Odorless |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |

(Contd. on page 4)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 3)

Boiling point/Boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	305 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	1.8 g/cm ³
· Relative density:	Not determined.
· Vapour density:	Not determined.
· Evaporation rate at 20 °C:	<1 BuOAc=1
· Solubility in / Miscibility with Water:	Partly soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	10.0 %
VOC content:	10.0 %
	180.0 g/l / 1.50 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Contact with water releases flammable gases.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**
- **Specific symptoms in biological assay:** No further relevant information available.
- **Primary irritant effect**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

(Contd. on page 5)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 4)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

102-71-6 | 2,2',2''-nitriлотriethanol

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings**
- **Recommendation:**
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

- | | |
|---|-----------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, TDG, ADN, IMDG, IATA | Not regulated |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, TDG, ADN, IMDG, IATA | Not regulated |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT, TDG, ADN, IMDG, IATA · Class | Not regulated |
| <ul style="list-style-type: none"> · Packing group · DOT, TDG, IMDG, IATA | Not regulated |
| <ul style="list-style-type: none"> · Environmental hazards: | Not applicable. |

(Contd. on page 6)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 5)

- | | |
|---|-----------------|
| · Special precautions for user: | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| · UN "Model Regulation": | Not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):
--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
--

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted
--

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):
--

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%):
--

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%):
--

102-71-6	2,2',2''-nitrioltriethanol
12788-93-1	Phosphoric acid, butyl ester

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).
--

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard statements

Causes skin irritation.
Causes serious eye irritation.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: HeatBloc-Ultra Part B

(Contd. of page 6)

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

16 Other information

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2008 and ISO 14001:2004 registered company.

• **Department issuing SDS:** Product safety department

• **Contact:** Stephen Nowicki

• **Date of preparation / last revision** 03/27/2017 / -

• **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

CA