

Printing date 07/31/2023 Reviewed on 07/31/2023

#### 1 Identification

· Product identifier: FW-100A-5G

· Trade name: Wall Guardian FW-100A

· Item number(s): FW-100A-5G

· SDS Number: 398

· Application of the substance / the mixture ROOF COATING

· Manufacturer/Supplier:

**USA ADDRESS:** 

KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224

PH (716) 558-2971

**CANADIAN ADDRESS:** 

ASTARAS CANADA, INC.

4-7075 EDWARDS BLVD

MISSISSAUGA, ONTARIO, L5S 1Z2

PH (905) 624-5463

#### Information department:

Tel: (716) 712-9931

www.kempersystem.net • Emergency telephone number:

ChemTrec (800) 424-9300 / 1-(703)-741-5970

Canada only: CANUTEC (Call collect) (613) 996-6666

#### 2 Hazard identification

#### · Classification of the substance or mixture:



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Signal word: Warning

#### · Hazard-determining components of labeling:

2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

#### · Hazard statements:

H317 May cause an allergic skin reaction.

#### · Precautionary statements:

P260 Do not breathe mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

(Contd. on page 2)

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Information pertaining to particular dangers for man and environment:
- NFPA ratings (scale 0 4):



#### 3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
13463-67-7	Titanium Dioxide	3-7% w/w *
57-55-6	Propylene Glycol	1-5% w/w *
546-93-0	Magnesite	1-5% w/w *
14808-60-7	Quartz (SiO2)	0.1-1% w/w *
26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.0015-<0.1% w/w *
2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.1% w/w *
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.0015-<0.06% w/w *

<sup>\*</sup> Actual concentration ranges are withheld as a trade secret.

#### 4 First-aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or a rash occurs: Get medical advice/attention.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

#### **5 Fire-fighting measures**

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 3)

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

· Protective equipment: No special measures required.

(Contd. of page 2)

#### 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures:

Wear protective clothing.

#### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

#### Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · **Specific end use(s):** No further relevant information available.

#### 8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7

Additional information about design of technical systems: No further data; see item 7.			
· Components with limit values that require monitoring at the workplace:			
57-55-6 Prop	57-55-6 Propylene Glycol		
EV (Canada)	TWA: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only		
WEEL (USA)	TWA: 10 mg/m³		
546-93-0 Magnesite			
EL (Canada)	TWA: 10* 3** mg/m³ *total dust, **respirable fraction		
EV (Canada)	TWA: 10 mg/m³ total dust		
PEL (USA)	TWA: 15* 5** mg/m³ *total dust **respirable fraction		
	(Contd. on page 4)		

(Contd. on page 4)

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

	(Contd. of page 3)
REL (USA)	TWA: 10* 5** mg/m³
	*total dust **respirable fraction
TLV (USA)	TLV withdrawn
14808-60-7 Q	uartz (SiO2)
EL (Canada)	TWA: 0.025 mg/m³
	ACGIH A2; IARC 1
EV (Canada)	TWA: 0.10* mg/m <sup>3</sup>
,	*respirable fraction
PEL (USA)	TWA: 0.05* mg/m³
, ,	*resp. dust; 30mg/m3/%SiO2+2
REL (USA)	TWA: 0.05* mg/m³
,	*respirable dust; See Pocket Guide App. A
TLV (USA)	TWA: 0.025* mg/m³
	*respirable particulate matter, A2

- Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Material of gloves: Nitrile
- · Eye protection: Goggles recommended during refilling.

Form:	Viscous	
Color:	Light blue	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value at 20 °C:	8	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>100 °C	
Flash point:	>94 °C	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
gnition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

		(Contd. of page
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.353 g/cm³	
Relative density:	Not determined.	
· Vapor density at 20 °C:	<1 AIR=1	
Evaporation rate at 20 °C:	<1 BuOAc=1	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	2.03 %	
	32.9 g/l / 0.27 lb/gal	
· Other information	No further relevant information available.	

#### 10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity

#### LD/LC50 values that are relevant for classification:

# 13463-67-7 Titanium Dioxide Oral LD50 >20,000 mg/kg (rat) Dermal LD50 >10,000 mg/kg (rabbit) Inhalative LC50/4 h >6.82 mg/l (rat)

- Specific symptoms in biological assay: No further relevant information available.
- Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

(Contd. of page 5) Irritant Carcinogenic categories · IARC (International Agency for Research on Cancer) 13463-67-7 Titanium Dioxide 2B 9002-88-4 Polyethylene low density 3 14808-60-7 Quartz (SiO2) 1 111-76-2 2-butoxyethanol 3 123-91-1 1,4-dioxane 2B 7439-92-1 lead 2B 7440-43-9 cadmium (non-pyrophoric) 1 · NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) Κ 123-91-1 1,4-dioxane R 7439-92-1 lead R 7440-43-9 cadmium (non-pyrophoric) K

#### 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- **Ecotoxical effects:**
- Remark: Toxic for fish
- · Additional ecological information
- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

· Other adverse effects: No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

(Contd. on page 7)

Printing date 07/31/2023 Reviewed on 07/31/2023

**Trade name: Wall Guardian FW-100A** 

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 6)

Transport information	
UN-Number DOT/TDG ADR, IMDG, IATA	Not regulated UN3082
· UN proper shipping name · DOT/TDG · ADR	Not regulated 3082 Environmentally hazardous substance, liqui
· IMDG	n.o.s. (zinc oxide, 2-octyl-2H-isothiazol-3-one) ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (zinc oxide, 2-octyl-2H-isothiazol- one), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (zinc oxide, 2-octyl-2H-isothiazol-
Transport hazard class(es)	one)
DOT/TDG (Transport dangerous goods): Class	Not regulated
Class	9 Miscellaneous dangerous substances and articles
· Label · Packing group · DOT/TDG · ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user: · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Miscellaneous dangerous substances ar articles 90 F-A,S-F A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

IMDG
 Limited quantities (LQ)
 Excepted quantities (EQ)

 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

 UN "Model Regulation":

 UN 3082 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE, 2-OCTYL-2H-ISOTHIAZOL-3-ONE), 9, III

#### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture. No further relevant information available.
- Sara

· Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
1314-13-2 zinc oxide

111-76-2 2-butoxyethanol 123-91-1 1,4-dioxane

7439-92-1 lead 7440-43-9 cadmium (non-pyrophoric)

TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals	known	to	cause	cancer:

14808-60-7 | Quartz (SiO2) 123-91-1 | 1,4-dioxane 7439-92-1 | lead

7440-43-9 cadmium (non-pyrophoric)

· Chemicals known to cause reproductive toxicity for females:

7439-92-1 lead

· Chemicals known to cause reproductive toxicity for males:

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· Chemicals known to cause developmental toxicity:

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

1317-65-3 calcium carbonate

(Contd. on page 9)

Printing date 07/31/2023 Reviewed on 07/31/2023

Trade name: Wall Guardian FW-100A

(Contd. of page 8)

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%):

1314-13-2 zinc oxide

57-55-6 Propylene Glycol

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling:

2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· Hazard statements

H317 May cause an allergic skin reaction.

#### 16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

· Department issuing SDS: Product safety department

· Contact: Stephen Nowicki

Date of the latest revision of the safety data sheet 07/31/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

 ${\bf EINECS: European\ Inventory\ of\ Existing\ Commercial\ Chemical\ Substances}$ 

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EÙ)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent