

1 Identification

- **Product identifier:** RG-170, RG-170-5G
- **Trade name:** Roof Guardian RG 170
- **Item number(s):** RG-170, RG-170-5G
- **SDS Number:** 395
- **Application of the substance / the mixture** ROOF COATING
- **Manufacturer/Supplier:**
USA ADDRESS:
KEMPER SYSTEM AMERICA, INC.
1200 NORTH AMERICA DR,
WEST SENECA, NY 14224
PH (716) 558-2971

CANADIAN ADDRESS:
ASTARAS CANADA, INC.
4-7075 EDWARDS BLVD
MISSISSAUGA, ONTARIO, L5S 1Z2
PH (905) 624-5463
- **Information department:**
Tel: (716) 712-9931
www.kempersystem.net
- **Emergency telephone number:**
ChemTrec (800) 424-9300 / 1-(703)-741-5970
Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

- **Classification of the substance or mixture:**



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Signal word:** Warning

- **Hazard-determining components of labeling:**

2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

- **Hazard statements:**

H317 May cause an allergic skin reaction.

- **Precautionary statements:**

P261 Avoid breathing mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023


Trade name: Roof Guardian RG 170

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **NFPA ratings (scale 0 - 4):**



Health = 0
Fire = 0
Reactivity = 0

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

13463-67-7	Titanium Dioxide	3-7% w/w *
57-55-6	Propylene Glycol	1-5% w/w *
546-93-0	Magnesite	1-5% w/w *
14808-60-7	Quartz (SiO ₂)	0.1-≤1% w/w *
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0.0015-<0.06% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-fighting measures

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Protective equipment:** No special measures required.

-CA

(Contd. on page 3)

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

57-55-6 Propylene Glycol

EV (Canada) Long-term value: 155* 10** mg/m³, 50* ppm
*vapour and aerosol; **aerosol only

WEEL (USA) Long-term value: 10 mg/m³

546-93-0 Magnesite

EL (Canada) Long-term value: 10* 3** mg/m³
*total dust, **respirable fraction

EV (Canada) Long-term value: 10 mg/m³
total dust

PEL (USA) Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL (USA) Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV (USA) TLV withdrawn

(Contd. on page 4)

CA

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 3)

14808-60-7 Quartz (SiO₂)

EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction
PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³ *as respirable fraction

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:** Nitrile
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Form:	Liquid
· Color:	White
· Odor:	Mild
· Odor threshold:	Not determined.
· pH-value at 20 °C:	8.5
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density:	Not determined.

(Contd. on page 5)

CA

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 4)

- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate at 20 °C:** <1 BuOAc=1

- **Solubility in / Miscibility with Water:** Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**
- Dynamic: Not determined.
- Kinematic: Not determined.

- **Solvent content:**
- VOC content: <50 g/l

- **Other information** No further relevant information available.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

1314-13-2 zinc oxide

Oral | LD50 | > 5000 mg/kg (rat)

- **Specific symptoms in biological assay:** No further relevant information available.
- **Primary irritant effect**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	Titanium Dioxide	2B
14808-60-7	Quartz (SiO ₂)	1
123-91-1	1,4-dioxane	2B
7440-43-9	cadmium (non-pyrophoric)	1
7439-92-1	lead	2B

(Contd. on page 6)

-CA

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 5)

· NTP (National Toxicology Program)		
14808-60-7	Quartz (SiO ₂)	K
123-91-1	1,4-dioxane	R
7440-43-9	cadmium (non-pyrophoric)	K
7439-92-1	lead	R

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxic effects:**
- **Remark:** Toxic for fish
- **Additional ecological information**
- **General notes:**
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings**
- **Recommendation:**
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

· UN-Number	
· DOT/TDG	Not regulated
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT/TDG	Not regulated
· ADR	3082 Environmentally hazardous substances, liquid, n.o.s. (zinc oxide, 2-octyl-2H-isothiazol-3-one)

(Contd. on page 7)

CA

Safety Data Sheet



according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 6)

<ul style="list-style-type: none"> · IMDG · IATA 	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, 2-octyl-2H-isothiazol-3-one), MARINE POLLUTANT</p> <p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide, 2-octyl-2H-isothiazol-3-one)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT/TDG (Transport dangerous goods): · Class 	<p>Not regulated</p>
<ul style="list-style-type: none"> · ADR, IMDG, IATA <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <ul style="list-style-type: none"> · Class · Label 	<p>9 Miscellaneous dangerous substances and articles 9</p>
<ul style="list-style-type: none"> · Packing group · DOT/TDG · ADR, IMDG, IATA 	<p>Not regulated III</p>
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA): 	<p>Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · Special precautions for user: · Hazard identification number (Kemler code): · EMS Number: · Stowage Category 	<p>Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ) 	<p>Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (ZINC OXIDE, 2-OCTYL-2H-ISOTHIAZOL-3-ONE), 9, III</p>

CA

(Contd. on page 8)

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

1314-13-2	zinc oxide
330-54-1	diuron(ISO)
55406-53-6	3-Iodo-2-propynylbutylcarbamate
123-91-1	1,4-dioxane
7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempted

- **Proposition 65**

- **Chemicals known to cause cancer:**

14808-60-7	Quartz (SiO ₂)
330-54-1	diuron(ISO)
123-91-1	1,4-dioxane
7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

- **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

- **Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

- **Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

- **Canadian substance listings**

- **Canadian Domestic Substances List (DSL/NDSL):**

All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 1%):**

1314-13-2	zinc oxide
57-55-6	Propylene Glycol

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Safety Data Sheet

according to HPR & OSHA

Printing date 07/31/2023

Reviewed on 07/31/2023

Trade name: Roof Guardian RG 170

(Contd. of page 8)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· **Hazard statements**

H317 May cause an allergic skin reaction.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

· **Department issuing SDS:** Product safety department

· **Contact:** Stephen Nowicki

· **Date of the latest revision of the safety data sheet** 07/31/2023

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent